Impact of Exercise Therapy on Chronic Low Back Pain: A Comparative Study of Methods

Dr. Elena V. Petrova
Department of Physical Therapy and Rehabilitation Sciences,
University of Helsinki, Finland

Received : 11/12/2025 ; Accepted : 26/03/2026 ; Published : 17/04/2026

Abstract
Chronic low back pain, also known as CLBP, is a disorder that affects a considerable number of people and has a significant impact on physical function, quality of life, and the expenses of healthcare. Although it is generally acknowledged that exercise therapy is a beneficial intervention for the management of chronic low back pain (CLBP), the comparative effectiveness of various approaches continues to be a topic of ongoing investigation. The purpose of this research is to assess and contrast the effects of different exercise therapy modalities, such as stretching, strengthening, and aerobic activities, on the decrease of pain, improvement of functional abilities, and overall treatment satisfaction among patients. The participants were divided into separate exercise treatment groups and evaluated over the course of a period of twelve weeks. The research was conducted using a randomised controlled trial methodology. According to the findings, the exercises that resulted in the most significant gains in terms of pain alleviation and functionality were those that involved strengthening. On the other hand, stretching exercises produced increases in flexibility and reduced stiffness. A moderate amount of advantages were exhibited by aerobic exercises in terms of reducing pain and improving cardiovascular health. the importance of individualised workout plans that are adapted to the specific demands of the patient in order to achieve the best possible results. These findings contribute to a more nuanced knowledge of exercise therapy in the management of chronic low back pain (CLBP) and provide assistance for physicians and patients in selecting therapeutic modalities that successfully treat the condition.
Keywords: Chronic Low Back Pain (CLBP), Exercise Therapy, Stretching Exercises, Strengthening Exercises, Aerobic Exercises

Introduction
There are millions of people all over the world who suffer from chronic low back pain (CLBP), which is one of the most prevalent and debilitating disorders that affect the musculoskeletal system. Pain and stiffness in the lower back that lasts for more than a year and a half are the hallmarks of this condition. Daily activities, work productivity, and overall quality of life are all greatly impacted by chronic low back pain (CLBP). The fact that it is multifactorial, meaning that it has physical, psychological, and lifestyle components, makes it difficult for healthcare providers to manage. Exercise therapy has become an essential component of non-pharmacological therapies for the management of chronic low back pain (CLBP). Exercise therapy, in contrast to medication-based treatments, prioritises the restoration of physical function, the reduction of pain, and the prevention of recurrence episodes. Medication-based

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

treatments frequently carry the danger of side effects and potential dependence. workouts that target multiple parts of the condition, such as stretching, strengthening, and aerobic workouts, are frequently advised. These exercises are among the many types of exercise that are commonly given. Although it is well-established that exercise treatment is useful for chronic low back pain (CLBP), there is continuous dispute regarding which strategy delivers the most effective and sustainability in terms of results. While stretching focusses on increasing flexibility and lowering stiffness, strengthening activities attempt to provide muscle support for the spine. Aerobic workouts, on the other hand, boost overall physical conditioning and pain modulation. As a result of the fact that the selection of exercise frequently depends on the features of the particular patient, it is vital to analyse the relative efficiency of these various approaches. exercise treatment techniques and their effects on pain reduction, functional improvement, and patient satisfaction in patients who suffer from chronic low back pain (CLBP). This research aims to contribute to the expanding body of knowledge on the management of chronic low back pain (CLBP) by offering evidence-based insights that will assist clinicians in adapting exercise programs to fit the individual needs of their patients.

Exercise Therapy: A Non-Pharmacological Intervention

The non-pharmacological management of chronic low back pain (CLBP) encompasses exercise therapy, which is widely acknowledged as a fundamental component of this treatment. On the other hand, exercise therapy focusses on addressing the underlying causes of pain and dysfunction, restoring physical function, and preventing recurrences, in contrast to pharmaceutical therapies, which simply manage symptoms. This intervention makes use of the body's innate capacity to heal and adapt through movement, which is why it is a vital component of a holistic treatment strategy for chronic low back pain (CLBP).

1. Importance of Exercise in CLBP Management

Chronic low back pain (CLBP) is frequently linked to decreased mobility, muscular imbalances, and poor posture, all of which contribute to persistent discomfort and functional restrictions. By directly addressing these difficulties, exercise therapy is able to:

- Developing the muscles that are responsible for maintaining the spine.
- Increasing joint range of motion and flexibility both.
- Making improvements to the alignment of the spine and the core.
- Promoting circulation and tissue repair.

It is possible to alleviate the psychological suffering that is connected with chronic pain, such as anxiety and depression.

In order to give a holistic approach to the management of chronic low back pain (CLBP), exercise therapy takes into account both physical and psychological issues.

2. Types of Exercise Therapy

When it comes to the treatment of chronic low back pain (CLBP), various forms of exercise therapy are utilised, each of which is adapted to the particular requirements of the patient and the nature of their condition:

- Stretching Exercises: In order to improve flexibility and reduce stiffness in the hip flexors, hamstrings, and lower back, you should focus on improving flexibility. Muscle

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

tightness, which is frequently a contributing factor to chronic low back pain (CLBP), can be alleviated with stretching.

- Strengthening Exercises: By focussing on the abdominal and back muscles, you may increase the support and stability of your spine. For instance, planks, bridges, and pelvic tilts are all examples of exercises that improve endurance and lower the likelihood of developing additional injuries.
- Aerobic Exercises: Walking, cycling, and swimming are all activities that increase cardiovascular fitness and encourage the production of endorphins, which in turn reduces the feeling of pain one experiences. In addition, aerobic workouts improve the general physical conditioning of the body.
- Functional and Task-Oriented Exercises: Restore your functional capability and trust in your ability to execute everyday tasks without experiencing discomfort by imitating your daily activities.

3. Advantages of Non-Pharmacological Interventions

On the other hand, exercise therapy has a number of advantages over pharmacological therapies for chronic low back pain:

- Fewer Side Effects: The use of exercise treatment is not only safe but also well tolerated, in contrast to the use of drugs, which can lead to dependency or bad responses.
- Long-Term Benefits: The benefits of regular exercise include the alleviation of existing symptoms as well as the prevention of future episodes through the improvement of total physical fitness.
- Patient Empowerment: Patients are encouraged to take an active role in their own recovery, which helps them feel more in control of their situation and reduces their reliance on outside therapies.

4. Evidence Supporting Exercise Therapy

For patients suffering from chronic low back pain (CLBP), exercise treatment has been shown to be beneficial in lowering both pain and disability in a number of trials. According to research, maintaining a regular exercise routine leads to considerable changes in the levels of pain, functional abilities, and quality of life that someone now experiences.

5. Integration into Multidisciplinary Care

In many cases, the most successful combination of exercise therapy and other interventions, such as manual therapy, education, and behavioural counselling, is the most effective combination. By addressing the multidimensional character of CLBP, this interdisciplinary approach ensures a recovery that is both comprehensive and sustainable.

Exercise therapy is an important non-pharmacological technique that manages chronic low back pain (CLBP). It provides a practical and effective alternative to treatments that are dependent on medicine by concentrating on restoring function, lowering discomfort, and offering patients more control over their own lives. When it comes to improving outcomes for people who have chronic low back pain (CLBP), individualised exercise regimens that are supported by evidence-based practices play a key role.

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

Conclusion

When it comes to the management of chronic low back pain (CLBP), exercise therapy is an essential component of non-pharmacological therapies. It provides a method that is not only safe and effective, but also sustainable on the path to bettering patient outcomes. exercise therapy not only alleviates symptoms but also improves general functionality and quality of life by addressing the underlying reasons of pain, such as muscular imbalances, limited flexibility, and bad posture. This is accomplished by targeting the fundamental causes of pain. An examination of the similarities and differences between various modalities, such as stretching, strengthening, and aerobic activities, underlines the significance of adapting treatment to the specific requirements of each individual patient in order to achieve effective outcomes. When it comes to enhancing core stability and lowering discomfort, strengthening exercises have been shown to be particularly useful. Stretching, on the other hand, has been shown to improve flexibility and reduce stiffness. Both cardiovascular health and pain perception can be improved by the use of aerobic workouts, which are complementary to these modalities. However, despite these advantages, maintaining commitment to fitness regimens and the requirement for individualised strategies continue to be significant obstacles. In the treatment of chronic low back pain (CLBP), exercise therapy is an essential and evidence-based technique. A holistic approach to recovery is ensured by its incorporation into multidisciplinary care, which is supported by patient education and continuous monitoring. The development of standardised protocols and the investigation of innovative methodologies should be the primary focusses of future research in order to further improve the efficacy and accessibility of exercise treatment for individuals suffering from chronic low back pain (CLBP).

Bibliography

Hayden, J. A., van Tulder, M. W., Malmivaara, A., & Koes, B. W. (2005). Exercise therapy for treatment of non-specific low back pain. *Annals of Internal Medicine*, 142(9), 765–775.

Hayden, J. A., Cartwright, J. L., Riley, R. D., & van Tulder, M. W. (2012). Exercise therapy for chronic low back pain: Protocol for meta-analysis. *Systematic Reviews*, 1, 64.

Hayden, J. A., Ellis, J., Ogilvie, R., Stewart, S. A., & Bagg, M. K. (2021). Exercise therapy for chronic low back pain. *Cochrane Database of Systematic Reviews*.

Karlsson, M., Bergenheim, A., Larsson, M. E. H., Nordeman, L., & Bernhardsson, S. (2020). Effects of exercise therapy in low back pain: A systematic review of reviews. *Systematic Reviews*, 9, 182.

Qaseem, A., Wilt, T. J., McLean, R. M., & Forciea, M. A. (2017). Noninvasive treatments for low back pain: Clinical practice guideline. *Annals of Internal Medicine*.

Foster, N. E., et al. (2018). Prevention and treatment of low back pain: Evidence and recommendations. *The Lancet*, 391(10137), 2368–2383.

Shnayderman, I., & Katz-Leurer, M. (2013). Qigong versus exercise therapy for chronic low back pain. *European Journal of Pain*.

Airaksinen, O., Brox, J. I., Cedraschi, C., et al. (2006). European guidelines for chronic low back pain. *European Spine Journal*.

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

Searle, A., Spink, M., Ho, A., & Chuter, V. (2015). Exercise interventions for chronic low back pain: Systematic review and meta-analysis. *Clinical Rehabilitation*.

Van Middelkoop, M., Rubinstein, S. M., Verhagen, A. P., et al. (2010). Exercise therapy for chronic nonspecific low back pain. *Best Practice & Research Clinical Rheumatology*.

McKenzie, R., & May, S. (2003). *The Lumbar Spine: Mechanical Diagnosis and Therapy*. Spinal Publications.

Saragiotto, B. T., Maher, C. G., Yamato, T. P., et al. (2016). Motor control exercise for chronic non-specific low back pain. *Cochrane Database of Systematic Reviews*.

Slade, S. C., et al. (2016). Exercise prescription for chronic low back pain: Clinical guidelines. *British Journal of Sports Medicine*.

O'Sullivan, P. (2005). Diagnosis and classification of chronic low back pain disorders. *Manual Therapy*.

- Delitto, A., George, S. Z., Van Dillen, L., et al. (2012). Low back pain clinical practice guidelines. *Journal of Orthopaedic & Sports Physical Therapy*.

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.