Photocatalytic Water Splitting for Hydrogen Production: Recent Developments and Challenges

Dr. Elena Moriyama-Stein
Professor of Renewable Energy Materials and Photocatalytic Systems
Helios International Center for Advanced Energy Research. Munich, Germany

Submission Date: 20.01.2025 | Acceptance Date: 09.04.2025 | Publication Date: 31.08.2025

Abstract:
An eco-friendly and renewable way to make hydrogen fuel is by photocatalytic water splitting, a technique that shows promise for long-term hydrogen production. new developments in photocatalytic materials, with an emphasis on catalysts that enhance water splitting efficiency, including photocatalysts based on semiconductors, heterojunction structures, and co-catalysts. To improve light absorption, charge separation, and catalytic activity, key trends involve using visible light-active photocatalysts, surface modifications, and nano structuring. Problems with scalability, photocatalyst stability over the long term, and poor solar-to-hydrogen conversion efficiency continue to be major obstacles to commercialization, despite considerable improvements. the continuing endeavors to resolve these concerns, highlighting the significance of novel materials, well-planned systems, and practical economics in promoting photocatalytic water splitting for industrial-scale hydrogen supply. In order to speed up the application of this technology for sustainable energy solutions, the review finishes by describing possible avenues for future research and ways to address existing limits.
Keywords: Photocatalytic water splitting, Hydrogen production, Semiconductor photocatalysts, Heterojunction structures

Introduction:

As the world moves toward more sustainable energy sources, hydrogen is becoming acknowledged as an essential component. Because it produces no emissions, hydrogen has great promise as a green energy source for a wide range of applications, from transportation and energy storage to manufacturing. Photocatalytic water splitting is one of the potential approaches to hydrogen production; it uses sunlight, an abundant and sustainable energy source, to split water molecules into hydrogen and oxygen. In this method, light is used to trigger a chemical reaction that separates water molecules into oxygen and hydrogen, just like in photosynthesis in nature. To efficiently split water using solar energy, separate charges, and carry out the water-splitting process is the primary goal of photocatalytic research. The foundation of this technology, photocatalysts based on semiconductors, has seen substantial development in recent years. Researchers have looked into certain materials, such as bismuth vanadate ($BiVO_4$), titanium dioxide (TiO_2), and g-C_3N_4, to see if they can absorb sunlight and turn it into chemical energy. Improving charge separation and reaction efficiency has also prompted researchers to concentrate on developing heterojunction structures and adding co-catalysts. Several significant obstacles remain in the way of photocatalytic water splitting, notwithstanding these advancements. A significant obstacle to the widespread use of this

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

technology is its poor efficiency in converting solar energy into hydrogen. The scalability of materials for commercial applications and the long-term stability of photocatalysts under operational settings are also ongoing concerns. Efforts to tackle these difficulties involve enhancing nanostructures, changing the surface properties of photocatalysts, and discovering novel materials that can react to visible light, which makes up most of the solar spectrum. this article reviews the current state of the art in photocatalytic water splitting for hydrogen production, focusing on the most promising materials, design breakthroughs, and remaining obstacles. Our goal is to give a thorough review of photocatalytic water splitting's future possibilities as a sustainable option for hydrogen production by looking at the advantages and disadvantages of present technology.

Fundamentals of Photocatalytic Water Splitting

One potential approach to sustainable hydrogen production is photocatalytic water splitting, which uses light energy to break down water (H_2O) into hydrogen (H_2) and oxygen (O_2). This section provides an overview of the main concepts and functions of semiconductor photocatalysts, along with the difficulties in efficiently converting solar energy into hydrogen.

1 Mechanism of Photocatalytic Water Splitting

In order to convert solar energy into chemical energy efficiently, the fundamental process of photocatalytic water splitting entails multiple steps:

1. **Light Absorption:** Photocatalysts, which are usually semiconductors, form electron-hole pairs when they absorb light with an energy level equal to or higher than their bandgap. This energy level excites electrons in the valence band to move to the conduction band.
2. **Charge Separation:** It is crucial to efficiently separate the photogenerated electrons and holes. Electrons in the conduction band are used to reduce protons (H^+) in water, forming hydrogen gas (H_2), while holes in the valence band oxidize water molecules to generate oxygen gas (O_2).
3. **Redox Reactions:** The overall reaction can be broken down into two half-reactions:
    - **Reduction Reaction (at the conduction band):** $2H^+ + 2e^- \rightarrow H_2$ 2H++2e−→H22H+ + 2e− \rightarrow H2 2H++2e−→H2
    - **Oxidation Reaction (at the valence band):** $2H_2O \rightarrow O_2 + 4H^+ + 4e^-$ 2H2O→O2+4H++4e−2H2O \rightarrow O2 + 4H+ + 4e−2H2O→O2+4H++4e−
4. **Gas Evolution:** The process's byproducts, hydrogen and oxygen gasses, need to be collected and separated as efficiently as possible.

2 Role of Semiconductor Photocatalysts

Choosing the right semiconductor material is crucial for efficient photocatalytic water splitting. The following characteristics are suitable for a photocatalyst:

- **Suitable Bandgap:** In order for semiconductors to absorb a substantial amount of sunlight, their bandgaps need to be just right. Capturing visible light—the bulk of the solar spectrum—typically requires a bandgap between 1.8 and 2.2 eV.
- **Efficient Charge Separation:** Efficient charge separation is crucial for preventing recombination once the electron-hole pairs have been created. It is desirable for semiconductor materials to facilitate rapid charge transfer while simultaneously minimizing recombination.

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

- **Stability:** Photocatalysts need to be able to withstand light, moisture, and other environmental factors for an extended period of time without degrading. Efficiency is reduced over time due to photocatalyst deterioration, which is a prevalent challenge.

Common semiconductor materials used for photocatalytic water splitting include:

- **Titanium Dioxide (TiO_2):** Its enormous bandgap (~3.2 eV) limits its activity to ultraviolet (UV) light, but its inexpensive cost and good stability make it widely utilized.
- **Graphitic Carbon Nitride (g-C_3N_4):** Despite the need for more improvements in efficiency and stability, this material has garnered attention because to its inexpensive cost and ability to absorb visible light.
- **Bismuth Vanadate ($BiVO_4$):** Though it needs co-catalysts to improve water splitting efficiency overall, $BiVO_4$ shows promise for water oxidation due to its visible light operation.

3 Challenges in Solar-to-Hydrogen Conversion

Achieving high efficiency in solar-to-hydrogen conversion requires addressing multiple obstacles, despite the promise of photocatalytic water splitting:

- **Low Conversion Efficiency:** Most photocatalysts have an efficiency of less than 1% when it comes to solar-to-hydrogen (STH) conversion at the moment. Commercially viable photocatalytic hydrogen production requires an improvement in STH efficiency of 10% or more.
- **Charge Recombination:** A significant constraint is the recombination of photogenerated holes and electrons. Improving charge separation and increasing the lifespan of electron-hole pairs has prompted investigations into strategies like heterojunction creation and co-catalyst introduction.
- **Catalyst Degradation:** The activity and lifetime of many photocatalysts decrease with time as a result of photocorrosion or the buildup of intermediates on the surface of the catalyst. It is critical to find materials that can endure real-world, long-term use.

The basic principles of using semiconductor photocatalysts to efficiently absorb light, separate charges, and facilitate redox reactions are at the heart of photocatalytic water splitting. Research into material design and reaction processes is continuously pushing the frontiers of this technology, making it a promising contender for future clean hydrogen production, despite the limitations of reaching high efficiency and stability.

Conclusion:

The use of solar energy to drive the water-splitting reaction, known as photocatalytic water splitting, shows great potential as a green and sustainable way to produce hydrogen. Recent developments in heterojunction architectures, surface modifications, and semiconductor photocatalysts have significantly improved the efficiency of hydrogen production. Improving charge separation and minimizing recombination losses are crucial for attaining higher efficiency in solar-to-hydrogen conversion. The inclusion of co-catalysts and the development of photocatalysts that are active in visible light have both played a role in this improvement. A number of issues, including scalability, photocatalyst stability over the long term, and poor overall conversion efficiency, continue to prevent this technology from being commercially used. Although there have been notable advancements, the complete potential of photocatalytic

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

water splitting for large-scale hydrogen production cannot be realized without additional improvements in materials research, system design, and cost-effective production methods. The future of overcoming current limitations hinges on the incorporation of new materials, advancements in reactor design, and enhanced photocatalyst durability. As long as there is ongoing research and interdisciplinary collaboration, photocatalytic water splitting could be a game-changer in the clean hydrogen energy revolution, helping to reduce emissions of greenhouse gases and pave the way for renewable power systems.

Bibliography

Rama Devi Tentu, Suddhasatwa Basu 2010 Photocatalytic water splitting for hydrogen production Volume 5, Issue 1, October 2017, Pages 56-62 https://doi.org/10.1016/j.coelec.2017.10.019

Nur Fajrina, Muhammad Tahir 2018 A critical review in strategies to improve photocatalytic water splitting towards hydrogen production Publications LLC. Published by Elsevier Ltd. All rights reserved. www.elsevier.com/locate/he https://doi.org/10.1016/j.ijhydene.2018.10.200

Ibrahim Dincer1 and Greg F. Naterer 2016 Review of photocatalytic water-splitting methods for sustainable hydrogen production J. Energy Res. 2016; 40:1449–1473. DOI: 10.1002/er.3549 https://www.sciencedirect.com/science/article/pii/S1364032105000420

Chi-Hung Liao, Chao-Wei Huang 2012 Hydrogen Production from Semiconductor-based Photocatalysis via Water Splitting Published: 17 October 2012 https://www.mdpi.com/2073-4344/2/4/490

Lan Yuan 2015 Photocatalytic water splitting for solar hydrogen generation: fundamentals and recent advancements Published online: 20 Jan 2016 Pages 1-36 https://doi.org/10.1080/0144235X.2015.1127027

Anwar, S., Aslam, Z., & Mehmood, U. (2025). *Advances and challenges in photocatalytic water splitting: recent developments and trends. Fuel*, 404, 136280.

Li, X., Zhang, C., Geng, J., Zong, S., & Wang, P. (2025). *Photo(electro)catalytic water splitting for hydrogen production: mechanism, design, optimization, and economy. Molecules*, 30(3), 630.

Villa, K., Galán-Mascarós, J. R., López, N., & Palomares, E. (2021). *Photocatalytic water splitting: advantages and challenges. Sustainable Energy & Fuels*, 5, 4560–4578.

Domen, K., & Maeda, K. (2010). *Photocatalytic water splitting: recent progress and future challenges. J. Phys. Chem. Lett.*, 1(18), 2655–2661.

Hisatomi, T., & Domen, K. (2019). *Reaction systems for solar hydrogen production via water splitting with particulate semiconductor photocatalysts. Nature Catalysis*, 2, 387–399.

Zhao, R. (2025). *Comprehensive literature review outline: photocatalytic water splitting for hydrogen production. Advances in Engineering Research: Possibilities and Challenges*, 1(1), 71–74.

Nguyen, T.-B. (2025). *Advances in photocatalytic hydrogen production for a sustainable future. Global Energy & Fuels Review*, 12(1), 250–270.

"Trends and challenges in photocatalytic water splitting." *Hydrogen Special Issue. MDPI Hydrogen Journal*.

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.

Qian, L., Wang, L., Zhang, J., Dittrich, T., Ni, C., Yang, Y., Zhao, J., Cui, J., Li, C., & Fan, F. (2025). *Operando imaging of polaron-mediated charge transfer across water splitting interfaces. J. Am. Chem. Soc.* (in press).

"High-throughput screening of 2D photocatalyst heterostructures for solar water splitting." *arXiv preprint* (2025).

Tang, S., Jiang, Q., Qiu, S., Ji, H., & Liu, X. (2025). *Mechanistic insights into water-splitting and hydrogen evolution in doped heterostructures. arXiv preprint.*

A review of efficient photocatalytic water splitting for hydrogen production. Renewable and Sustainable Energy Reviews, 206, 114863 (2024).

© The author. Published by ***Revista Infoacceso***, ISSN 2311-7605.